AUTHOR INDEX

Aboulkassim, A., 57
Ades, D., 57
Agarwal, S. K., 141
Angelopoulos, M., 301
Asaji, T., 355

Baughman, R. H., 243
Behnisch, R., 37
Belaish, I., 341
Beno, M. A., 1
Bernard, M., 47
Bloor, D., 403
Bonnell, D. A., 301
Bonnett, R., 403
Brédas, J. L., 27

Cameron, R. E., 269
Cariss, C., 1
Carlson, K. D., 1
Castillo-Ortega, Ma. M., 355
Cheranovskii, V. O., 65
Chevrot, C., 57
Clement, S. K., 269

Dalton, L. R., 341
Davidov, D., 341
Deger, S., 37
Deguchi, Y., 389
Derose, J., 1
Dewald, G., 409
Dicko, A., 403
Doi, T., 99

Ferrer, N., 403
Foster, C. M., 171
François, B., 47
Froyer, G., 381
Fukada, M., 399

Galimzyanov, A. A., 81
Gates, B. D., 1
Genoud, F., 381
Geserich, H. P., 311
Ghosh, S., 11
Ginley, D. S., 185
Graham, R. A., 185

Hanack, M., 37, 409
Heeger, A. J., 171
Herron, N., 171
Hervieu, M., 109

Ignat'ev, A. A., 81
Ignatious, F., 47
Inoue, M., 355
Inoue, M. B., 355
Iqbal, Z., 107, 243

Kaeriyama, K., 365
Kalpagam, V., 11
Kankare, J., 289
Kato, M., 37
Kawabata, K., 399
Khabibullaev, P. K., 243
Khairullin, I. I., 243
Kim, Y. H., 171
Kini, A. M., 1
Koch, B., 311
Krische, B., 257
Krivnov, V. Ya., 65
Kushch, N. D., 81

Laukhin, V. N., 81
Lawrence, S. A., 123
Lukkari, J., 289

Maddison, D. S., 281
Makova, M. K., 81
Masuda, H., 365
Mathis, C., 47
Matsubayashi, G.-E., 99
Matsuda, H., 37
McLean, M. R., 341
Merzhanov, V. A., 81
Michel, C., 109
Mizogami, S., 399
Mizuno, M., 355
Mizutani, M., 399
Montgomery, L. K., 1
Morosin, B., 185
Murashima, M., 373

Nakamura, D., 355
Nakanishi, H., 37
Narasimha, C. V., 141
Narlikar, A. V., 141
Nechtschein, M., 381

Ohno, H., 37
Orihashi, Y., 37
Ortí, E., 27
Ovchinnikov, A. A., 65
Owens, F. J., 225

Pajunen, T., 289
Pelous, Y., 381
Provost, J., 109

Rao, C. N. R., 131
Rault-Berthelot, K., 329
Raveau, B., 109
Rettori, C., 341
Ribo, J. M., 403
Roberts, R. B., 281
Rohl, C. A., 1
Rozenberg, L. P., 81

Sarma, D. D., 131
Schimmel, Th., 311
Schwoerer, M., 311
Sermon, P. A., 123
Shaojun Dong, 93
Shibaeva, R. P., 81
Shichiri, T., 389
Simonet, J., 329
Siove, A., 57, 381
Stucky, G., 171

Takakubo, M., 19
Tanaka, K., 373, 389
Tanaka, S., 365
Tanaka, T., 99
Toriumi, M., 389
Tsuchida, E., 37
Tytko, S. F., 1

(continued overleaf)

© Elsevier Sequoia/Printed in The Netherlands

Unsworth, J., 281

Valles, M. A., 403
Venturini, E. L., 185
Villeret, B., 381
Visy, Cs., 289
Vong, M. S. W., 123

Wang, H. H., 1
Watson, W. H., 1
Williams, J. M., 1

Yagubskii, E. B., 81
Yamabe, T., 373, 389
Yamauchi, J., 389
Yu, L. P., 341

Zagorska, M., 257
Zakhidov, A. A., 243
Zhuang Li, 93

SUBJECT INDEX

Acetonitrile
transient redox behavior of polypyrrole in anhydrous, effect of anions on, 289
Aniline
molecular orbital study of initial reaction paths in electrochemical polymerization of, 19
Aniline coupling
with oxidized *N*-phenyl-*p*-phenylenediamine, electrochemical and chemical studies of, 269
Anions
effect of, on transient redox behavior of polypyrrole in anhydrous acetonitrile, 289

Barium
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171
BEDT-TTF salts
crystal structure and electrical properties of $(BEDT\text{-}TTF)_2Cp(CN)_5 \cdot (Solvent)_x$, 1
new cation-radical, with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, structure and properties, 81
N-Benzylaniline
electrochemical polymerization and characterization of, 93
Bis(anilinium) persulfate
formation of polyaniline via, and its electrical and spectroscopic properties, 99
Bismuth
ESR study of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243
Bithiophene
polythiophene synthesis by electropolymerization of thiophene and, 257

Calcium
ESR study of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171
Carbazolylene
electrosynthesis of all-electroactive copolymers based on phenylene and, units, 57
Carbon
ferromagnetism of pyrolytic, under low-temperature growth by CVD method, 399
Ceramic oxides
superconducting, high-pressure shock modification and synthesis of, 185
Ceramics
Bi–Sr–Ca–Cu–O, ESR study of coexisting superconducting phases in; new features of low-field microwave absorption, 243
Charge transport
in quasi-one-dimensional organic conductor $(FA)_2X$, mechanisms of microscopic and macroscopic, 311
Cobalt
comparison of electronic properties of model system for cyano(phthalocyaninato)Co(III) with metal-free β-phthalocyanine; theoretical investigation of three-dimensional phthalocyanine structures, 27
cyano(2,3-naphthalocyaninato)Co(III), new conductive crystals of, 37
Conductive crystals
of cyano(2,3-naphthalocyaninato)Co(III), new, 37
Copolymers
electrosynthesis of all-electroactive, based on phenylene and carbazolylene units, 57
Copper
ESR study of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243

© Elsevier Sequoia/Printed in The Netherlands

intrinsic paramagnetism of doped polypyrroles and polythiophenes; ESR of polymers prepared by use of Cu(II) compounds as oxidative coupling agents, 355
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171
Copper oxides
mixed-valence; large family of high T_c superconductors related to perovskites, 109
Cuprate superconductors
high-temperature; substitutional and related studies, 141
holes and hole-pairing in oxygen band of high-temperature, 131
Crystal structure
and electrical properties of (BEDT-TTF)$_2$Cp(CN)$_5$·(Solvent)$_x$, 1
CVD method
ferromagnetism of pyrolytic C under low-temperature growth by, 399
Cyano(2,3-naphthalocyaninato)Co(III)
new conductive crystals of, 37
Cyano(phthalocyaninato)Co(III)
comparison of electronic properties of model system for, with metal-free β-phthalocyanine; theoretical investigation of three-dimensional phthalocyanine structures, 27

Dipyrrinone
end groups, polypyrrole with, 403

Electrical conductivity
of plasma-polymerized organic thin films; influence of plasma polymerization conditions and surface composition, 373
Electrical properties
of (BEDT-TTF)$_2$Cp(CN)$_5$·(Solvent)$_x$, 1
formation of polyaniline via bis(anilinium) persulfate and its, 99
Electroactive polymer
new, polydibenzofuran; properties and electrochemical behavior of, 329
Electrochemical behavior
of new electroactive polymer, polydibenzofuran; properties and, 329
Electrochemical and chemical studies
of aniline coupling with oxidized *N*-phenyl-*p*-phenylenediamine, 269
Electrochemical polymerization
of aniline, molecular orbital study of initial reaction paths in, 19
and characterization of *N*-benzylaniline, 93
Electronic absorption spectra
of polyaniline, solvent effect on, 11
Electronic properties
of model system for cyano(phthalocyaninanto)Co(III) with metal-free β-phthalocyanine, comparison of; theoretical investigation of three-dimensional phthalocyanine structures, 27
Electronic structure
spatially localized, in polyaniline by scanning tunneling spectroscopy, 301
Electropolymerization
polythiophene synthesis by, of thiophene and bithiophene, 257
Electrosynthesis
of all-electroactive copolymers based on phenylene and carbazolylene units, 57
ESR
intrinsic paramagnetism of doped polypyrroles and polythiophenes; of polymers prepared by use of Cu(II) compounds as oxidative coupling agents, 355
ESR study
of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243
for oxidation of pyrrole in presence of spin trap, 389
ESR investigation
tetra-alkyl ammonium complexes of $(CH)_x$ and $(CD)_x$; comparative, 47
of polaron formation in poly(paraphenylene), 381

Formation
of polyaniline via bis(anilinium) persulfate and its electrical and spectroscopic properties, 99
Ferromagnetism
of pyrolytic C under low-temperature growth by CVD method, 399

Gadolinium
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}$-

$Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171

High-pressure shock modification
and synthesis of superconducting ceramic oxides, 185
High-temperature superconductor phases
kinetics of synthesis of oxide, during solid-state reaction, 123
High T_c superconductors
cuprate
holes and hole-pairing in oxygen band of, 131
substitutional and related studies, 141
mixed-valence Cu oxides; large family of, related to perovskites, 109
resonant and non-resonant microwave absorption in, 225
Holes and hole-pairing
in oxygen band of high-temperature cuprate superconductors, 131
Hubbard model
magnetic properties of, with infinite interactions, 65

Kinetics
of synthesis of oxide high-temperature superconductor phases during solid-state reactions, 123

Lanthanum
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171

Magnetic properties
of Hubbard model with infinite interactions, 65
Microwave absorption
ESR study of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field, 243
in high-temperature superconductors, resonant and non-resonant, 225
Molecular orbital study
of initial reaction paths in electrochemical polymerization of aniline, 19

Organic conductor
$(FA)_2X$, mechanisms of microscopic and macroscopic charge transport in quasi-one-dimensional, 311
Organic thin films
electrical conductivity of plasma-polymerized; influence of plasma polymerization conditions and surface composition, 373
Oxidation
of pyrrole in presence of spin trap, ESR study for, 389
Oxidative coupling
preparation of poly(3-octylpyrrole) by, 365
Oxidative coupling agents
ESR of polymers prepared by use of Cu(II) compounds as; intrinsic paramagnetism of doped polypyrroles and polythiophenes, 355
Oxygen band
holes and hole-pairing in, of high-temperature cuprate superconductors, 131

Paramagnetism
intrinsic, of doped polypyrroles and polythiophenes; ESR of polymers prepared by use of Cu(II) compounds as oxidative coupling agents, 355
Perovskites
mixed-valence Cu oxides; large family of high T_c superconductors related to, 109
Phenylene
electrosynthesis of all-electroactive copolymers based on, and carbazolylene units, 57
Phenyl/dihydroanthracene units
polyarenemethines containing alternating, 409
N-Phenyl-*p*-phenylenediamine
aniline coupling with oxidized, electrochemical and chemical studies of, 269
Photogenerated-carriers
in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171
Photogeneration
of spins and charges in polyquinoxaline ladder polymer, 341
Phthalocyanine structures
theoretical investigation of three-dimensional; comparison of electronic properties of model system for cyano(phthalocyaninato)Co(III)

with metal-free β-phthalocyanine, 27
Plasma polymerization
electrical conductivity of plasma-polymerized organic thin films; influence of, conditions and surface composition, 373
Platinum
new cation-radical salts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, structure and properties, 81
Polaron formation
in poly(paraphenylene), ESR investigation of, 381
Polarons
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of, 171
Polyaniline
formation of, via bis(anilinium) persulfate and its electrical and spectroscopic properties, 99
solvent effect on electronic absorption spectra of, 11
spatially localized electronic structure in, by scanning tunneling spectroscopy, 301
Polyarenemethines
containing alternating phenyl/dihydroanthracene units, 409
Polydibenzofuran
new electroactive polymer; properties and electrochemical behavior of, 329
Poly(3-octylpyrrole)
preparation by oxidative coupling, 365
Poly(paraphenylene)
ESR investigation of polaron formation in, 381
Polypyrrole(s)
with dipyrrinone end groups, 403
effect of anions on transient redox behavior of, in anhydrous acetonitrile, 289
intrinsic paramagnetism of doped, and polythiophenes; ESR of polymers prepared by use of Cu(II) compounds as oxidative coupling agents, 355
thermoelectric power of, 281
Polyquinoxaline ladder polymer
photogeneration of spins and charges in, 341
Polythiophenes
intrinsic paramagnetism of doped polypyrroles and; ESR of polymers prepared by use of Cu(II) compounds as oxidative coupling agents, 355
Polythiophene synthesis
by electropolymerization of thiophene and bithiophene, 257
Preparation
of poly(3-octylpyrrole) by oxidative coupling, 365
Properties
new cation-radical salts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, structure and, 81
of new electroactive polymer, polydibenzofuran; and electrochemical behavior, 329
Pyrrole
ESR study for oxidation of, in presence of spin trap, 389

Reaction paths
molecular orbital study of initial, in electrochemical polymerization of aniline, 19
Redox behavior
of polypyrrole in anhydrous acetonitrile, effect of anions on transient, 289

Scanning tunneling spectroscopy
spatially localized electronic structure in polyaniline by, 301
Solvent effect
on electronic absorption spectra of polyaniline, 11
Spectroscopic properties
formation of polyaniline via bis(anilinium) persulfate and its, 99
Spins
and charges in polyquinoxaline ladder polymer, photogeneration of, 341
Spin trap
ESR study for oxidation of pyrrole in presence of, 389
Strontium
ESR study of coexisting superconducting phases in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243

Structure
new cation-radical salts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, and properties, 81
Superconducting ceramic oxides
high-pressure shock modification and synthesis of, 185
Superconducting cuprates
high T_c; substitutional and related studies, 141
Superconducting phases
ESR study of coexisting, in Bi–Sr–Ca–Cu–O ceramics; new features of low-field microwave absorption, 243
Superconductor phases
kinetics of synthesis of oxide high-temperature, during solid-state reaction, 123
Superconductors
high T_c
cuprate, holes and hole-pairing in oxygen band of, 131
related to perovskites, large family of; mixed-valence Cu oxides, 109
resonant and non-resonant microwave absorption in, 225
Surface composition
electrical conductivity of plasma-polymerized organic thin films; influence of plasma polymerization conditions and, 373
Synthesis
new cation-radical salts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; structure and properties, 81
of oxide high-temperature superconductor phases during solid-state reaction, kinetics of, 123
polythiophene, by electropolymerization of thiophene and bithiophene, 257
of superconducting ceramic oxides, high-pressure shock modification and, 185

Tellurium
new cation-radical slts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, structure and properties, 81
Tetra-alkyl ammonium complexes
of $(CH)_x$ and $(CD)_x$; comparative ESR investigation, 47
Thallium
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171
Thermoelectric power
of polypyrrole, 281
Thiophene
polythiophene synthesis by electropolymerization of, and bithiophene, 257
Tin
new cation-radical salts of BEDT-TTF with octahedral metal complex anions $PtCl_6^{2-}$, $PtBr_6^{2-}$, $TeCl_6^{2-}$ and $SnCl_6^{2-}$; synthesis, structure and properties, 81

Yttrium
photogenerated-carriers in La_2CuO_4, $YBa_2Cu_3O_{7-\delta}$ and $Tl_2Ba_2Ca_{(1-x)}Gd_xCu_2O_8$; polarizability-induced pairing of polarons, 171